

SUN-GROUPE

TRUCKS

ECO FRIENDLY - MODERN - EFFICIENT

2024-03



MINI TRUCKS EDITION



100% ELECTRIC • GASOLINE • DIESEL



THE ALLIANCE OF THE BEST





#### SUN-GROUPE|TRUCKS



### SUN-GROUPE

Sun-Groupe is a trade and service company representing industrial groups around the world.

Based in Neuchâtel, Switzerland and in Puyang city, Henan province in the People's Republic of China, our company has direct and strategic ties with the market and production which provides our customers with best prices, customization and the highest price quality ratio.

### IN CHINA SINCE 1992

Sun-Groupe in China has a long experience in several sectors of activities : building construction, international trade (import&export) of goods and also digitisation services and in IT developments.

Under the name of Jianxing Zaojia, Sun-Groupe is the first engineer's design bureau of building's construction in Puyang city.

The combined Chinese forces of production and Swiss expertise in product's and services quality, empowers Sun-Groupe to satisfy the customers of various domains and sectors (public, industrial, corporate, administrative, associative and individuals).

### FROM CHINA, ECO-FRIENDLY TRUCKS

In 2014, Sun-Groupe China (Jianxing Zaojia) established contacts with truck factories for home market.

Working together with a group of partner's factories producing the best quality trucks, our company opened the international market in early 2020.

Switzerland is well known as one of the most difficult market, the customers are very demanding in term of quality and quality-price ratio. Sun-Groupe selects the best products and adapted to the customer's demands.

Our engineer's design bureau also develops new trucks products.





## STRONG ATTENTION TO DETAIL AND HIGH STANDARDS OF QUALITY CONTROL



## High-Tech Assembly at Work

A symphony of precision unfolds in our factory as our mechanical arm robot diligently attends to high-precision components. Each movement is choreographed with exacting detail, ensuring flawless execution in every piece it handles. With unwavering accuracy, it maneuvers intricate parts with finesse, embodying our commitment to excellence in manufacturing. This snapshot captures the essence of our quality control standards, where advanced technology meets meticulous craftsmanship. From assembly to inspection, every step is meticulously overseen, guaranteeing products of unparalleled quality and reliability.

## Precision on the Assembly Line

Within our small truck factory, precision reigns supreme. The mounting chain showcases our meticulous attention to detail, as several truck chassis stand aligned, each a testament to our commitment to quality. Their vibrant coats of paint gleam under the lights, while wires have been expertly installed, ready to power these vehicles. Every bolt tightened, every wire secured – our dedication to excellence shines through in every aspect of production.





## SUN-GROUPE|TRUCKS

**Final Touches : Specialists Fine-Tune Assembly Line Output**

In this pivotal moment on our assembly line, two specialists meticulously apply the final touches to our vehicles before they undergo rigorous testing. With practiced hands, they delicately install the last components, ensuring everything is in place for optimal performance. Their expertise and attention to detail are evident as they work seamlessly to complete the assembly process. As the finishing touches are applied, our commitment to delivering top-quality products is reaffirmed, setting the stage for vehicles that meet the highest standards of reliability and performance.

**Crafting Quality : Precision Wiring**

In the heart of our workshop, a skilled technician meticulously tends to the intricate wiring of our trucks. With unwavering focus, he carefully installs the electric box and prepares for the integration of lithium batteries. Each connection is handled with precision, ensuring optimal performance and reliability. As he works, our commitment to maintaining high standards of quality control is evident in every neatly arranged wire and every secure connection. Our dedication to excellence is not just a promise; it's a guarantee.





## SUN-GROUPE|TRUCKS

**Customer-Centric Experience: Vehicle Testing and Demonstrations**

As the final step before delivery, our factory welcomes customers to experience firsthand the excellence of our vehicles. Here, our dedicated personnel conduct thorough tests and demonstrations, ensuring each vehicle meets and exceeds expectations. With precision and care, they guide customers through the functionalities and features, ensuring they are well-equipped to maximize their vehicle's potential. From safety protocols to operational intricacies, every aspect is thoroughly explained and demonstrated, reflecting our unwavering commitment to customer satisfaction. This interactive experience not only assures customers of the quality of our products but also fosters trust and confidence in our brand.








### Efficiency in Motion: Vast Warehouse Operations

Step into our expansive warehouse, spanning over 10'000 square meters of modern space, where efficiency reigns supreme. Amidst rows of neatly organized shelves and bustling machinery, our skilled workers orchestrate the final stages of production. With precision and dedication, they ensure each finished vehicle meets our exacting standards before departure. The hum of the crane and the whir of tools echo through the facility as our team meticulously inspects, fine-tunes, and prepares each vehicle for its journey. This bustling hub of activity embodies our commitment to excellence in every aspect of our manufacturing process.







### ELECTRIC MULTIFUNCTIONAL CLEANING VEHICLE 4 WHEELS

Let's consider this utility vehicle as the prime example: everything is engineered to maximize user efficiency and comfort. Simplified functions and extensive automation, utilizing buttons, reversers, and accelerators (particularly in electric vehicles with automatic gearboxes), ensure a seamless experience. Essentially, the user simply drives,

positions the trash bin, and presses a button for effortless unloading into the truck tipper before proceeding to the next task. Our vehicles prioritize ease of use and maneuverability, while all lights are LED for prolonged and clear illumination. Maintenance and operation remain straightforward, swift, clean, eco-friendly, and cost-effective.



### PRODUCTS



#### Categories

#### ELECTRIC

##### 3 WHEELS

- SG-TRUCK-C01E - ELECTRIC DISINFECTION TRUCK 500L 3 WHEELS
- SG-TRUCK-C02E - ELECTRIC WATER SPRINKLER TRUCK 700L 3 WHEELS
- SG-TRUCK-C07E - ELECTRIC SIDE LOADER TRUCK 800KG 3 WHEELS
- SG-TRUCK-C08E - ELECTRIC SIDE LOADER TRUCK 1200KG 3 WHEELS



SG-TRUCK-C01E



SG-TRUCK-C02E



SG-TRUCK-C07E



SG-TRUCK-C08E

#### ELECTRIC

##### 4 WHEELS

- SG-TRUCK-C03E - ELECTRIC DUST SUPPRESSION TRUCK 1500L 4 WHEELS
- SG-TRUCK-C04E - ELECTRIC MULTIFUNCTIONAL CLEANING VEHICLE 1800L 4 WHEELS
- SG-TRUCK-C05E - ELECTRIC FIRE SPRINKLER TRUCK 1000 LITERS 4 WHEELS
- SG-TRUCK-C06E - ELECTRIC FIRE SPRINKLER TRUCK 2000 LITERS 4 WHEELS
- SG-TRUCK-C09E - ELECTRIC GARBAGE TRUCK 2400KG 4 WHEELS TYPE 1
- SG-TRUCK-C10E - ELECTRIC GARBAGE TRUCK 1600KG 4 WHEELS TYPE 2
- SG-TRUCK-C11E - ELECTRIC GARBAGE TRUCK 1600KG 4 WHEELS TYPE 3
- SG-TRUCK-C12E - ELECTRIC GARBAGE TRUCK 2000KG 4 WHEELS TYPE 4
- SG-TRUCK-C13E - ELECTRIC FLATBED TRASH CAN TRANSPORTER TRUCK 1400KG 4 WHEELS



SG-TRUCK-C03E



SG-TRUCK-C04E



SG-TRUCK-C05E



SG-TRUCK-C06E



SG-TRUCK-C09E



SG-TRUCK-C10E



SG-TRUCK-C11E



SG-TRUCK-C12E



SG-TRUCK-C13E



### PRODUCTS



### Categories

#### GASOLINE

##### 3 WHEELS

- SG-TRUCK-C14G - GASOLINE TRANSPORTER VEHICLE WITH DUMP FLATBED 2000KG 3 WHEELS
- SG-TRUCK-C15G - GASOLINE SIDE LOADER TRUCK 1250KG 3 WHEELS
- SG-TRUCK-C16G - GASOLINE TRANSPORTER VEHICLE WITH FLATBED 2000KG 3 WHEELS



SG-TRUCK-C14G



SG-TRUCK-C15G



SG-TRUCK-C16G



### PRODUCTS



**SG-TRUCK-C01E - ELECTRIC DISINFECTION TRUCK 500L 3 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C01E	CARRYING CAPACITY [L]	500
MOTOR	Electric - 60V1000W	EQUIPMENT WEIGHT [KG]	450
TYPE	DC Brushless	EQUIPMENT AND FUNCTION	High-Pressure Water Pump
OVERALL DIMENSIONS [MM]	3000X1100X1660	BATTERY CAPACITY [KWH]	1.92
SEATING CAPACITY	1	CHARGER MAX [A]	20A
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	30	CONTINUED POWER [KW]	1.8
TARE WEIGHT [KG]	450	CATEGORY	Disinfection Truck

### ADDITIONAL DATA

BREAKING DISTANCE [M]	3
MAXIMUM GRADE [DEG]	15
NOZZLE ANGLE ADJUST	0, 15, 25, 40, 4th Gear can be changed
SPRINKLER	Mist spray on the upper and lower booms of the tail to meet the needs of dust reduction
TIRE	Front 375-12 Rear 400-12
REAR AXLE	High and low speed integrated differential rear axle



### PRODUCTS



**SG-TRUCK-C02E - ELECTRIC WATER SPRINKLER TRUCK 700L 3 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C02E	CARRYING CAPACITY [L]	700
MOTOR	Electric - 60V1000W	EQUIPMENT WEIGHT [KG]	440
TYPE	DC Brushless	EQUIPMENT AND FUNCTION	High Pressure Water Pump
OVERALL DIMENSIONS [MM]	3180X1100X1400	BATTERY CAPACITY [KWH]	1.92
SEATING CAPACITY	1	CHARGER MAX [A]	1
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	30	CONTINUED POWER [KW]	1.8
TARE WEIGHT [KG]	440	CATEGORY	Water Sprinkler Truck

### ADDITIONAL DATA

BREAKING DISTANCE [M]	3
MAXIMUM GRADE [DEG]	15
NOZZLE ANGLE ADJUST	0, 15, 25, 4th Gear Change
SPRINKLER	The top and bottom of the tail are 25 1.5mm thick and 1m long stainless steel
TIRE	Front 375-12 Rear 400-12
REAR AXLE	High and low speed integrated differential rear axle



### PRODUCTS



**SG-TRUCK-C03E - ELECTRIC DUST SUPPRESSION TRUCK 1500L 4 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C03E	CARRYING CAPACITY [L]	1500
MOTOR	Electric - 72V5000W	EQUIPMENT WEIGHT [KG]	1980
TYPE	AC Motor	EQUIPMENT AND FUNCTION	High-Pressure Water Pump
OVERALL DIMENSIONS [MM]	4040X1480X2100	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	2	CHARGER MAX [A]	1
MAX SPEED [KM/H]	25	RECHARGE TIME [H]	5-10
AUTONOMY [KM]	40	CONTINUED POWER [KW]	5.4
TARE WEIGHT [KG]	480	CATEGORY	Dust Suppression Truck

### ADDITIONAL DATA

ROTATION FAN [DEG]	120
MAXIMUM GRADE [DEG]	15
WORKING FLOW [L/MIN]	18
SPRAY FAN	380V 1.8KW
TIRE	175-70-13
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter



### PRODUCTS



**SG-TRUCK-C04E - ELECTRIC MULTIFUNCTIONAL CLEANING VEHICLE 1800L 4 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C04E	CARRYING CAPACITY [L]	1800
MOTOR	Electric - 72V5000W	EQUIPMENT WEIGHT [KG]	1970
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Spray, Point Spay, Tail, more
OVERALL DIMENSIONS [MM]	4050X1460X2150	BATTERY CAPACITY [KWH]	14.4
SEATING CAPACITY	2	CHARGER MAX [A]	1.6
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	8-10
AUTONOMY [KM]	60	CONTINUED POWER [KW]	5.4
TARE WEIGHT [KG]	450	CATEGORY	Surface Cleaning Truck

### ADDITIONAL DATA

SPRAYING SYSTEM	Front and tail electric adjustable exhaust spray with pre-hedging system manually switchable
MAXIMUM GRADE [DEG]	15
WORKING FLOW [L/MIN]	30
MANUAL CLEANING	High pressure water gun for manually cleaning the key parts
TIRE	175-70-13
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter



### PRODUCTS



**SG-TRUCK-C05E - ELECTRIC FIRE SPRINKLER TRUCK 1000 LITERS 4 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C05E	CARRYING CAPACITY [L]	1000
MOTOR	Electric - 72V7500W	EQUIPMENT WEIGHT [KG]	1980
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Fire Equipment, Spray, more
OVERALL DIMENSIONS [MM]	4050X1480X2100	BATTERY CAPACITY [KWH]	14.4
SEATING CAPACITY	2	CHARGER MAX [A]	1.44
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	8-10
AUTONOMY [KM]	50	CONTINUED POWER [KW]	8.06
TARE WEIGHT [KG]	980	CATEGORY	Fire Fighting Truck

### ADDITIONAL DATA

FIRE EQUIPMENT	2 Dry Powder Extinguishers, 1 Set of Fireproof Suit, 1 Showel, 1 Axe, 2 Fire Hoses
MAXIMUM GRADE [DEG]	15
WORKING FLOW [L/MIN]	600
WARNING LIGHTS	Long row highlight strobe
TIRE	175-70-13
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter



### PRODUCTS



**SG-TRUCK-C06E - ELECTRIC FIRE SPRINKLER TRUCK 2000 LITERS 4 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C06E	CARRYING CAPACITY [L]	2000
MOTOR	Electric - 72V10000W	EQUIPMENT WEIGHT [KG]	2000
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Fire Equipment, Spray, more
OVERALL DIMENSIONS [MM]	4050X1480X2100	BATTERY CAPACITY [KWH]	14.4
SEATING CAPACITY	2	CHARGER MAX [A]	1.44
MAX SPEED [KM/H]	25	RECHARGE TIME [H]	8-10
AUTONOMY [KM]	40	CONTINUED POWER [KW]	9
TARE WEIGHT [KG]	320	CATEGORY	Fire Fighting Truck

### ADDITIONAL DATA

FIRE EQUIPMENT	2 Dry Powder Extinguishers, 1 Set of Fireproof Suit, 1 Showel, 1 Axe, 2 Fire Hoses
MAXIMUM GRADE [DEG]	15
WORKING FLOW [L/MIN]	600
WARNING LIGHTS	Long row highlight strobe
TIRE	185-70-13
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter



### PRODUCTS



**SG-TRUCK-C07E - ELECTRIC SIDE LOADER TRUCK 800KG 3 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C07E	CARRYING CAPACITY [KG]	800
MOTOR	Electric - 72V3000W	EQUIPMENT WEIGHT [KG]	800
TYPE	DC Brushless Motor	EQUIPMENT AND FUNCTION	Automatic Can Trash Lifter
OVERALL DIMENSIONS [MM]	3600X1400X2050	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	1	CHARGER MAX [A]	1.08
MAX SPEED [KM/H]	25	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	50	CONTINUED POWER [KW]	4.32
TARE WEIGHT [KG]	200	CATEGORY	Side Loader Truck

### ADDITIONAL DATA

EQUIPMENT	Automatic Can Trash Lifter, Simple shed Cab, Electric Wipers, Front LED, Front Windshield, ...
MAXIMUM GRADE [DEG]	15
TANK VOLUME [M3]	3.2
LIFT TIME [S]	50
TIRE	Front 450-12, Rear 500-12
REAR AXLE	Front suspension double inner and outer spring liquid compression tube type, shock absorber



### PRODUCTS



**SG-TRUCK-C08E - ELECTRIC SIDE LOADER TRUCK 1200KG 3 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C08E	CARRYING CAPACITY [KG]	1200
MOTOR	Electric - 72V3000W	EQUIPMENT WEIGHT [KG]	1200
TYPE	DC Brushless Motor	EQUIPMENT AND FUNCTION	Automatic Can Trash Lifter
OVERALL DIMENSIONS [MM]	3900X1520X2120	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	1	CHARGER MAX [A]	1.08
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	50	CONTINUED POWER [KW]	4.83
TARE WEIGHT [KG]	250	CATEGORY	Side Loader Truck

### ADDITIONAL DATA

EQUIPMENT	Automatic Can Trash Lifter, Simple shed cab, Electric Wipers, Front LED, Front Windshield, ...
MAXIMUM GRADE [DEG]	15
TANK VOLUME [M3]	4.5
LIFT TIME [S]	20
TIRE	Front 500-12, Rear 550-12
REAR AXLE	Front suspension double inner and outer spring liquid compression tube type, shock absorber



### PRODUCTS



**SG-TRUCK-C09E - ELECTRIC GARBAGE TRUCK 2400KG 4 WHEELS TYPE 1**



### TECHNICAL DATA



MODEL	SG-TRUCK-C09E	CARRYING CAPACITY [KG]	2400
MOTOR	Electric - 72V10000W	EQUIPMENT WEIGHT [KG]	2400
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Rear Door, Solid-Liquid Plate
OVERALL DIMENSIONS [MM]	4230X1600X2100	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	2	CHARGER MAX [A]	1.08
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	50	CONTINUED POWER [KW]	4.83
TARE WEIGHT [KG]	400	CATEGORY	Garbage Truck

### ADDITIONAL DATA

EQUIPMENT	Hydraulic Rear Door, Enclosed Compartment, Solid-Liquid Isolation Plate Compression ...
MAXIMUM GRADE [DEG]	15
TANK VOLUME [M3]	3.75
TAIL DOOR TIME [S]	20
TIRE	185-70-14
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter

### PRODUCTS



**SG-TRUCK-C10E - ELECTRIC GARBAGE TRUCK 1600KG 4 WHEELS TYPE 2**



### TECHNICAL DATA



MODEL	SG-TRUCK-C10E	CARRYING CAPACITY [KG]	1600
MOTOR	Electric - 72V4000W	EQUIPMENT WEIGHT [KG]	1690
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Rear Door, Compression Sys.
OVERALL DIMENSIONS [MM]	4090X1500X2150	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	2	CHARGER MAX [A]	1.08
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	50	CONTINUED POWER [KW]	4.83
TARE WEIGHT [KG]	190	CATEGORY	Garbage Truck

### ADDITIONAL DATA

EQUIPMENT	Hydraulic Rear Door, Enclosed Compartment, Compression System ...
MAXIMUM GRADE [DEG]	15
TANK VOLUME [M3]	5
LIFT TIME [S]	50
TIRE	175-70-13
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter



### PRODUCTS



**SG-TRUCK-C11E - ELECTRIC GARBAGE TRUCK 1600KG 4 WHEELS TYPE 3**



### TECHNICAL DATA



MODEL	SG-TRUCK-C11E	CARRYING CAPACITY [KG]	1600
MOTOR	Electric - 72V5000W	EQUIPMENT WEIGHT [KG]	1850
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Rear Door, Compression Sys.
OVERALL DIMENSIONS [MM]	4200X1480X2100	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	2	CHARGER MAX [A]	1.08
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	60	CONTINUED POWER [KW]	4.83
TARE WEIGHT [KG]	250	CATEGORY	Garbage Truck

### ADDITIONAL DATA

EQUIPMENT	Hydraulic Rear Door, Enclosed Compartment, Compression System ...
MAXIMUM GRADE [DEG]	15
TANK VOLUME [M3]	5.5
OPERATION TIME [S]	20
TIRE	175-70-13
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter

### PRODUCTS



**SG-TRUCK-C12E - ELECTRIC GARBAGE TRUCK 2000KG 4 WHEELS TYPE 4**



### TECHNICAL DATA



MODEL	SG-TRUCK-C12E	CARRYING CAPACITY [KG]	2000
MOTOR	Electric - 72V7500W	EQUIPMENT WEIGHT [KG]	2000
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Hydraulic Rear Door
OVERALL DIMENSIONS [MM]	4800X1600X2350	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	2	CHARGER MAX [A]	1.08
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	50	CONTINUED POWER [KW]	4.83
TARE WEIGHT [KG]	600	CATEGORY	Garbage Truck

### ADDITIONAL DATA

EQUIPMENT	Hydraulic Rear Door, Enclosed Compartment, Compression System
MAXIMUM GRADE [DEG]	15
TANK VOLUME [M3]	6.5
COMPRESSION TIME [S]	60
TIRE	185-70-14
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter



### PRODUCTS



**SG-TRUCK-C13E - ELECTRIC FLATBED TRASH CAN TRANSPORTER TRUCK 1400KG 4 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C13E	CARRYING CAPACITY [KG]	1400
MOTOR	Electric - 72V4000W	EQUIPMENT WEIGHT [KG]	1560
TYPE	AC Motor	EQUIPMENT AND FUNCTION	Flatbed for 8 Barrels 240L
OVERALL DIMENSIONS [MM]	4400X1500X2050	BATTERY CAPACITY [KWH]	8.64
SEATING CAPACITY	2	CHARGER MAX [A]	1.08
MAX SPEED [KM/H]	28	RECHARGE TIME [H]	6-8
AUTONOMY [KM]	50	CONTINUED POWER [KW]	4.83
TARE WEIGHT [KG]	160	CATEGORY	Flatbed Truck

### ADDITIONAL DATA

EQUIPMENT	Flatbed for 8 Barrels 240L
MAXIMUM GRADE [DEG]	15
TAIL DOOR	Remotely Controlled
LIGHTS AND SIGNALS	Dual Headlights + Turn Signals + Brake Lights + Rear Tail Lights + Reversing Voice Speaker
TIRE	165-70-12
REAR AXLE	Full suspension oil brake differential integrated, not less than 250mm large diameter

### PRODUCTS



**SG-TRUCK-C14G - GASOLINE TRANSPORTER VEHICLE WITH DUMP FLATBED 2000KG 3 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C14G	CARRYING CAPACITY [KG]	2000
MOTOR	Gasoline 2500W	EQUIPMENT WEIGHT [KG]	2815
TYPE	Gasoline Motorcycle Motor	EQUIPMENT AND FUNCTION	Flatbed, Electronic Scale
OVERALL DIMENSIONS [MM]	3700X1500	EMISSION [ML]	190
SEATING CAPACITY	1	POWER [KW]	11.8
MAX SPEED [KM/H]	60	ROTATION/MIN	8000
AUTONOMY [KM]	50		
TARE WEIGHT [KG]	815	CATEGORY	Flatbed Truck

### ADDITIONAL DATA

EQUIPMENT	Electronic Scale, Vibration Dampening (Rocker Shock)
MAXIMUM GRADE [DEG]	15
LIFTING CONTROL	Push Button / Wireless Remote Control
TIRE	500-12
REAR AXLE	Full floating oil brake without/with/large package changing gear



### PRODUCTS



**SG-TRUCK-C15E - GASOLINE SIDE LOADER TRUCK 1250KG 3 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C15G	CARRYING CAPACITY [KG]	650
MOTOR	Gasoline 2500W	EQUIPMENT WEIGHT [KG]	1250
TYPE	Gasoline Motorcycle Motor	EQUIPMENT AND FUNCTION	Automatic Can Trash Lifter
OVERALL DIMENSIONS [MM]	3600X1250X2050	EMISSION [ML]	190
SEATING CAPACITY	1	POWER [KW]	11.8
MAX SPEED [KM/H]	60	ROTATION/MIN	8000
AUTONOMY [KM]	120		
TARE WEIGHT [KG]	600	CATEGORY	Side Loader Truck

### ADDITIONAL DATA

EQUIPMENT	Automatic Can Trash Lifter, Simple shed Cab, Electric Wipers, Front LED, Front Windshield, ...
MAXIMUM GRADE [DEG]	20
TANK VOLUME [M3]	2.5
TURNING RADIUS [M]	4
TIRE	Front 500-12 Rear 550-12
SUSPENSION	Front : Coil Spring Hydraulic Shock Absorber, Rear : Heavy-Duty Steel Plate Absorber

### PRODUCTS



**SG-TRUCK-C16G - GASOLINE TRANSPORTER VEHICLE WITH FLATBED 2000KG 3 WHEELS**



### TECHNICAL DATA



MODEL	SG-TRUCK-C16G	CARRYING CAPACITY [KG]	2000
MOTOR	Gasoline 2500W	EQUIPMENT WEIGHT [KG]	2815
TYPE	Gasoline Motorcycle Motor	EQUIPMENT AND FUNCTION	Flatbed, Electronic Scale
OVERALL DIMENSIONS [MM]	3700X1500	EMISSION [ML]	190
SEATING CAPACITY	1	POWER [KW]	11.8
MAX SPEED [KM/H]	60	ROTATION/MIN	8000
AUTONOMY [KM]	50		
TARE WEIGHT [KG]	815	CATEGORY	Flatbed Truck

### ADDITIONAL DATA

EQUIPMENT	Flatbed
MAXIMUM GRADE [DEG]	15
LIFTING CONTROL	Push Button / Wireless Remote Control
TIRE	500-12
REAR AXLE	Full floating oil brake without/with/large package changing gear




#### Sun-Groupe Co. Ltd (China)

Beijing  
Head Quarter, Puyang (Henan)  
Shanghai, Dongguan, Zhongshan  
Logistic Hong Kong



#### Sun-Groupe Sàrl (Suisse)

Cornaux  
Hauterive



100% ELECTRIC • GASOLINE • DIESEL



THE ALLIANCE OF THE BEST